

Armed Forces College of Medicine AFCM



Diseases of Pleura

Prof. Omnia Kamel Rizk



INTENDED LEARNING OBJECTIVES (ILO)



By the end of this lecture the student will be able to:

- 1. List causes of serous, fibrinous and serofibrinous pleurisy
- 2. Enumerate causes of empyema
- 3. Describe pathology and complications of empyema
- 4. Define different types of non inflammatory lesions of pleura
- 5. Determine causes and complications of non inflammatory lesions of pleura
- 6. Differentiate between the pathological features of benign and malignant mesothelioma
- 7. Discuss metastatic pleural tumors
- 8. Describe causes, types and pathology of lung atelectasis

Inflammation of pleura



Types:

1- Serous, fibrinous and serofibrinous pleurisy

Causes:

1- Direct spread of infection from nearby septic focus as T.B,

bronchiectasis,

pericarditis, mediastinitis and lung absce

- 2- Blood spread as in septicemia.
- 3- Viral infections.
- 4- Uremia.
- 5- Penetrating chest injuries.
- 6-Specific infection as tuberculosis.
- 7 Lung infarctio https://www.google.com/un/
 sa=i&source=images&cd=&cad=rja&uact=8&ved=2ahUKEwiKsqGureLjAhVtxoUKHTiaBKgOjRx6BAgBEAQ&url=%2Furl%3Fsa%3Di
 %26source%3Dimages%26cd%3D%26ved%3D%26url%3Dhttps%253A%252F%252Fslideplayer.com%252Fslide%252F4495385%252F
 %26psig%3DAOvVaw355LcNeaFA17UHKUA_mst5%26ust
 %3D1564772268648210&psig=AOvVaw355LcNeaFA17UHKUA_mst5%ust=1564772268648210

89/11 Tumors of pleura.

Cardiopulmonary Module

Inflammation of pleura



2- Empyema:

Definition: Suppurative inflammation of the pleura (suppurative pleurisy).


Causes:

- 1- Mostly from intrapulmonary suppuration by contiguous spread of organisms from lung abscess and other suppurative lung diseases.
- 2- Subdiaphragmatic abscess and liver abscess.
- 3- Hematogenous spread as in septicemia.
- 4- Direct spread from extra-pulmonary infection as osteomyelitis.

 Cardiopulmonary Module

Empyema





https://www.google.com/url?
sa=i&source=images&cd=&ved=2ahUKEwjlpriFtOLjAhVDzRoKHSZvBu8QjRx6BAgBEAQ&url=http%3A
%2F%2Fmedicalexhibits.com%2Fmedical_exhibits_image.php%3Fexhibit
%3D10151_02X&psig=A0vVaw0qZt7d7rQxVk-QPPjjZq7y&ust=1564774085885581



https://www.google.com/url?
sa=i&source=images&cd=&ved=2ahUKEwiC5v_VtOLjAhWkxIUKHdkJC3MQjRx6BAgBEAQ&url=http
s%3A%2F%2Fwww.thenerve.net%2Fjournal%2Fview.php%3Fnumber
%3D101&psig=AOvVaw0qZt7d7rQxVk-QPPjj7q7y&ust=1564774085885581

Empyema



Pathology:

Empyema may be diffuse affecting the whole pleural cavity

or focal.

- •In the diffuse type, pus accumulates in the pleural cavity
 - causing lung collapse.
- Healing occurs by fibrosis and adhesions and thickening of

 Cardiopulmonary Module

Empyema



Complications:

- 1- Local spread of infection to the lung, mediastinum and pericardium.
- 2- Empyema necessitans: Opening of the empyema by sinuses through the intercostal spaces on the chest wall (Empyema with bronchopleural fistula).
- 3- Lung collapse in the diffuse type.
- 4- Embolic brain abscess.
- 4- Chest deformity due to dense pleural fibrosis.
- 5- Secondary amyloidosis in chronic empyema.
- 6- Blood spread of infection leading to toxemia, septicemia and pyaemia ardiopulmonary Module

Non-inflammatory pleural diseases



1- Hydrothorax


Definition: presence of *transudate* in the pleural cavity.

Causes:

- 1- Congestive heart failure.
- 2- Any other systemic disease associated with generalized edema as nephrotic syndrome and nutritional edema.
- 3- Thrombosis of the azygos vein.

Effects and complications:

- 1- Compression collapse.
- 2- Secondary infection leads to empyema.
- 3- Healing leads to pleural fibrosis and adhesions



10

Non-inflammatory pleural diseases



2- Hemothorax

Definition: Presence of blood in the pleural

Causes:

Local causes:

Rupture of aneurysm.

Traumatic [Penetrating injuries].

Malignant tumors

Complications: organization leading to adhesion and lung collapse.

Non-inflammatory pleural diseases



3- Pneumothorax:

Definition: accumulation of air pleural cavity.

Causes:

- 1- Spontaneous: due to rupture emphysematous bullae or tuberculous cavity.
- 2- Traumatic chest wall injuries.



https://www.google.com/imgres?imgurl=https%3A%2F%2Fcdn-prod.medicalnewstoday.com%2Fcontent %2Fimages%2Farticles%2F318%2F318110%2Fillustration-of-a-collapsed-lung.jpg&imgrefurl=https%3A %2F%2Fwww.medicalnewstoday.com%2Farticles%2F318110.php&docid=d0U6N2bDB-EtUM&tbnid=BPG8JWhJHdrMRM%3A&vet=10ahUKEwjVzeeuuuLjAhWkAmMBHU-nCLUQMwh1KBowGg.i&w=1100&h=670&bih=644&biw=1350&q=pneumothorax&ved=0ahUKEwjVzee uuuLjAhWkAmMBHU-nCLUQMwh1KBowGg&iact=mrc&uact=8

Mesothelioma (Primary pleural tumor) 🧐



Definition: Tumor arising from the mesothelial lining of the pleura or other serous mesothelial membranes.

Types:

Benign: solitary fibrous tumor (localized):

fibrous tumor attached to pleura.

Grossly: firm grayish white localized circumscribed mass.


Microscopically: bland, plump, spindled cells with a socalled patternless architecture that surround branching blood vessels.

Mesothelioma



Malignant Mesothelioma (diffuse): Arising from the visceral or parietal pleura. The tumor increases with increased exposure to ASBESTOC (market): Assume the contraction of the contract

It is a very aggressive maligna tumor of mesothelial cells of visceral or parietal pleur It has a Very POOR prognosis Common in Egypt



tps://www.google.com/url?

sa=i&source=images&cd=&ved=2ahUKEwjT6dSZvOLjAhUHHxoKHZjHCd0QjRx6BAgBEAQ&url= https%33A%2F%2Fwww.asbestos.com%2Fmesothelioma

Malignant Mesothelioma



Grossly:

soft gelatinous diffuse grayish pink tumor tissue.

Microscopically:

may be either:


- 1- <u>Sarcomatoid type</u> formed of spindle shaped sarcomatoid cells.
- 2- <u>Epithelial like (carcinomatous)</u> formed of columnar cells arranged in tubular, acinar or papillary pattern.
- 3-Biphasic (sarco

Immunohistochemistry:

Calretinin, CK5/6, Vimentin. Negative to TTF1, CK20.


Malignant Mesothelioma





Epithelioid mesothelioma (pleural): tumor cells have abundant eosinophilic cytoplasm, vesicular nuclei and prominent nucleoli (H&E, 40x)

https://www.google.com/url?
sa=i&source=images&cd=&cad=rja&uact=8&ved=2ahUKEwjUkaLvePjAhUPbBoKHXepAtMQjRx6BAgBEAQ&url=http%3A%2F%2Fwww.pathologyoutlines.com
%2Ftopic%2Fperitoneummesothelioma.html&psig=AOvVaw05omVHuG2dX60HX5qufl &ust=1564810712231960



Sarcomatoid Cells

https://www.google.com/url?
sa=i&source=images&cd=&ved=2ahUKEwjOs_WevePjAhVOx4UKHS9VCwgQjRx6BAgBEAQ&url=https%3A%2F%2Fwww.asbestos.com%2Fmesothelioma%2Fcells%2F&psig=AOvVaw05omVHuG2dX60HX5-qufl &ust=1564810712231960

Metastatic tumors of pleura (Secondary Pleura) Tumors)

Pleural Metastasis:

Common tumors.

Reach the pleura by lymphatics and blood mainly from breast carcinoma and bronchogenic carcinoma



Definition: either non expansion or incomplete expansion of the alveoli.


Causes and types:


1- Neonatal respiratory distress syndrome (*hyaline membrane disease*):

It is caused by a deficiency of *pulmonary surfactant* which is secreted by type *II pneumocytes*.

It is seen in *premature infants* delivered by cesarean section and in infants borne to diabetic mothers.







https://www.google.com/imgres?imgurl=https%3A%2F%2Fwww.epainassist.com%2Fimages%2Fwhat-is-lung-atelectasis-preview.jpg%3Fv%3D2&imgrefurl=https%3A%2F%2Fwww.epainassist.com%2Fchest-pain%2Flungs%2Fwhat-is-lung-atelectasis-and-what-is-its-pathophysiology&docid=PFH0X5Rzc-wukM&tbnid=0-fl4aMcRw7TFM%3A&vet=10ahUKEwityaSawOPjAhVOhlwKHSXUB0YQMwhjKBlwEg..i&w=1200&h=1014&bih=644&biw=1350&q=pulmonary%20atelectasis&ved=0ahUKEwityaSawOPjAhVOhlwKHSXUB0YQMwhjKBlwEg&iact=mrc&uact=8

https://www.google.com/url?
sa=i&source=images&cd=&cad=rja&uact=8&ved=2ahUKEwi1p6GgwuPjAhUKzYUKHVziBxQQjRx6BAgBEAQ&u
rl=%2Furl%3Fsa%3Di%26source%3Dimages%26cd%3D%26ved%3D%26url%3Dhttps%253A%252F
%252Fwww.verywellhealth.com%252Funderstanding-atelectasis-2248927%26psig
%3DAOvVaw2tjMCOlbQHQu9UcafXQ--h%26ust
%3D1564811760834425&psig=AOvVaw2tjMCOlbQHQu9UcafXQ--h&ust=1564811760834425



2- Adult respiratory distress syndrome: there is diffuse alveolar damage with resultant increase in the alveolar capillary permeability causing leakage of protein-rich fluid in the alveoli and formation of intraalveolar hyaline membrane.


3- Compression atelectasis: in cases of massive pleural effusion, pneumothorax (complete atelectasis) and mediastinal tumors (partial atelectasis).




4- Obstructive (Resorption) atelectasis: secondary to bronchial obstruction by tumor, mucous plug or foreign body.

5- Contraction atelectasis: cicatrization atelectasis occurring due to fibrotic changes in the lung or the pleura.







Atelectasis

- Resorption atelectasis =
 complete obstruction of an
 airway → resorption of the
 oxygen trapped in the dependent
 alveoli, without impairment of
 blood flow through the affected
 alveolar walls.
- Compression atelectasis
 results whenever the pleural
 cavity is partially or completely
 filled by fluid exudate, tumor,
 blood, or air.
- Contraction atelectasis occurs when local or generalized fibrotic changes in the lung or pleura prevent full expansion.

Lecture Quiz



Accumulation of pus in the pleural cavity is:

- a- Empyema
- b- Hemothorax
- c- Hydrothorax
- d- Pneumothorax
- e- Pyemia

Lecture Quiz



- 2- Enumerate the causes of lung atelectasis
- 3- Define empyema necessistans

SUGGESTED TEXTBOOKS



- 1- Kaplan Medical step 1, lecture notes in Pathology: Chapter
- 14, Respiratory system, pp. 125-143, 2017.
- 2- Hursh Mohan Text Book of Pathology, 7th ed. (2015):
- Chapter 14, Respiratory system, pp. 442-488.
- 3- Hursh Mohan Text Book of Pathology, 7th ed. (2015):
- Chapter 15, eye, ENT and neck, pp. 495-500
- 4- Robbins basic of Pathology, 10th ed. (2018): Chapter 13,

Lung. pp. 495-549

